

	 SYSTEM CERTIFIED by ISO 9001:2008 D006540 1412 01	 COMIMPEX CLUJ-NAPOCA, ROMANIA, J12/3530/1994, RO 6493900 TEL: 0744637254, FAX: 0264588072 PROIECTARE, EXPERTIZARE, CONSULTANTA IN DOMENIUL CONSTRUCTIILOR CIVILE, INDUSTRIALE SI AGRICOLE
	 SYSTEM CERTIFIED by ISO 14001:2005 D006540 1412 02	

7. Extras de laminate

Element	Buc. elem.	Pozitia	Dimensiuni		Nr. buc. /elem	Nr. buc. (total)	Greutate [kg]			Otel
			Caracteristici	L(lung.) [mm] [ml]			/mc/(ml)/[mp]	/buc	/total	
P1.1	1	1.1.001	Profil IPE270-	5600	1	1	36,10	202,16	202,16	S235 J2G3
		1.1.002	Profil IPE240-	866	1	1	30,70	26,59	26,59	S235 J2G3
		1.1.003	Cornier L60x6-	130	5	5	5,42	0,70	3,52	S235 J2G3
		1.1.004	Cornier L60x6-	204	4	4	5,42	1,11	4,42	S235 J2G3
		1.1.005	placa 170 x25-	375	1	1	7850	12,51	12,51	S235 J2G3
		1.1.006	placa 80 x15-	80	1	1	7850	0,75	0,75	S235 J2G3
		1.1.007	placa 60 x15-	245	1	1	7850	1,73	1,73	S235 J2G3
		1.1.008	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
		1.1.009	placa 60 x15-	245	5	5	7850	1,73	8,65	S235 J2G3
		1.1.010	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.1.011	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.1.012	placa 150 x20-	360	1	1	7850	8,48	8,48	S235 J2G3
		1.1.013	Cornier L60x6-	120	1	1	5,42	0,65	0,65	S235 J2G3
		1.1.014	Cornier L60x6-	260	2	2	5,42	1,41	2,82	S235 J2G3
		1.1.015	placa 55 x15-	215	2	2	7850	1,39	2,78	S235 J2G3
		1.1.016	placa 80 x10-	80	1	1	7850	0,50	0,50	S235 J2G3
		1.1.017	placa 60 x10-	80	1	1	7850	0,38	0,38	S235 J2G3
P1.2	1	1.2.001	Profil IPE270-	5600	1	1	36,10	202,16	202,16	S235 J2G3
		1.2.002	Profil IPE240-	866	1	1	30,70	26,59	26,59	S235 J2G3
		1.2.003	Cornier L60x6-	130	5	5	5,42	0,70	3,52	S235 J2G3
		1.2.004	Cornier L60x6-	204	4	4	5,42	1,11	4,42	S235 J2G3
		1.2.005	placa 170 x25-	375	1	1	7850	12,51	12,51	S235 J2G3
		1.2.006	placa 80 x15-	80	1	1	7850	0,75	0,75	S235 J2G3
		1.2.007	placa 60 x15-	245	1	1	7850	1,73	1,73	S235 J2G3
		1.2.008	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3

S.C. ROMSOFT COMIMPEX S.R.L.

		1.2.009	placa 60 x15-	245	5	5	7850	1,73	8,65	S235 J2G3
		1.2.010	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.2.011	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.2.012	placa 150 x20-	360	1	1	7850	8,48	8,48	S235 J2G3
		1.2.013	Cornier L60x6-	120	1	1	5,42	0,65	0,65	S235 J2G3
		1.2.014	Cornier L60x6-	260	2	2	5,42	1,41	2,82	S235 J2G3
		1.2.015	placa 55 x15-	215	2	2	7850	1,39	2,78	S235 J2G3
		1.2.016	placa 80 x10-	80	1	1	7850	0,50	0,50	S235 J2G3
		1.2.017	placa 60 x10-	80	1	1	7850	0,38	0,38	S235 J2G3
P1.3	2	1.3.001	Profil IPE270-	5600	1	2	36,10	202,16	404,32	S235 J2G3
		1.3.002	Profil IPE240-	866	1	2	30,70	26,59	53,17	S235 J2G3
		1.3.003	Cornier L60x6-	130	5	10	5,42	0,70	7,05	S235 J2G3
		1.3.004	placa 170 x25-	375	1	2	7850	12,51	25,02	S235 J2G3
		1.3.005	placa 80 x15-	80	1	2	7850	0,75	1,51	S235 J2G3
		1.3.006	placa 180 x15-	245	1	2	7850	5,19	10,39	S235 J2G3
		1.3.007	placa 110 x15-	245	1	2	7850	3,17	6,35	S235 J2G3
		1.3.008	placa 60 x15-	245	6	12	7850	1,73	20,77	S235 J2G3
		1.3.009	placa 60 x15-	220	2	4	7850	1,55	6,22	S235 J2G3
		1.3.010	placa 60 x15-	210	2	4	7850	1,48	5,93	S235 J2G3
		1.3.011	placa 115 x12-	115	2	4	7850	1,25	4,98	S235 J2G3
		1.3.012	placa 60 x12-	115	4	8	7850	0,65	5,20	S235 J2G3
		1.3.013	placa 115 x12-	115	2	4	7850	1,25	4,98	S235 J2G3
		1.3.014	placa 150 x20-	360	1	2	7850	8,48	16,96	S235 J2G3
		1.3.015	Cornier L60x6-	260	1	2	5,42	1,41	2,82	S235 J2G3
		1.3.016	placa 80 x10-	80	2	4	7850	0,50	2,01	S235 J2G3
P1.4	2	1.4.001	Profil IPE270-	5600	1	2	36,10	202,16	404,32	S235 J2G3
		1.4.002	Profil IPE240-	866	1	2	30,70	26,59	53,17	S235 J2G3
		1.4.003	Cornier L60x6-	130	5	10	5,42	0,70	7,05	S235 J2G3
		1.4.004	placa 170 x25-	375	1	2	7850	12,51	25,02	S235 J2G3
		1.4.005	placa 80 x15-	80	1	2	7850	0,75	1,51	S235 J2G3
		1.4.006	placa 180 x15-	245	1	2	7850	5,19	10,39	S235 J2G3
		1.4.007	placa 110 x15-	245	1	2	7850	3,17	6,35	S235 J2G3
		1.4.008	placa 60 x15-	245	6	12	7850	1,73	20,77	S235 J2G3
		1.4.009	placa 60 x15-	220	2	4	7850	1,55	6,22	S235 J2G3
		1.4.010	placa 60 x15-	210	2	4	7850	1,48	5,93	S235 J2G3

S.C. ROMSOFT COMIMPEX S.R.L.

		1.4.011	placa 115 x12-	115	2	4	7850	1,25	4,98	S235 J2G3
		1.4.012	placa 60 x12-	115	4	8	7850	0,65	5,20	S235 J2G3
		1.4.013	placa 115 x12-	115	2	4	7850	1,25	4,98	S235 J2G3
		1.4.014	placa 150 x20-	360	1	2	7850	8,48	16,96	S235 J2G3
		1.4.015	Cornier L60x6-	260	1	2	5,42	1,41	2,82	S235 J2G3
		1.4.016	placa 80 x10-	80	2	4	7850	0,50	2,01	S235 J2G3
P1.5	1	1.5.001	Profil IPE270-	5600	1	1	36,10	202,16	202,16	S235 J2G3
		1.5.002	Profil IPE240-	866	1	1	30,70	26,59	26,59	S235 J2G3
		1.5.003	Cornier L60x6-	130	5	5	5,42	0,70	3,52	S235 J2G3
		1.5.004	Cornier L60x6-	204	4	4	5,42	1,11	4,42	S235 J2G3
		1.5.005	placa 170 x25-	375	1	1	7850	12,51	12,51	S235 J2G3
		1.5.006	placa 80 x15-	210	1	1	7850	1,98	1,98	S235 J2G3
		1.5.007	placa 60 x15-	245	1	1	7850	1,73	1,73	S235 J2G3
		1.5.008	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
		1.5.009	placa 60 x15-	245	5	5	7850	1,73	8,65	S235 J2G3
		1.5.010	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.5.011	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.5.012	placa 150 x20-	360	1	1	7850	8,48	8,48	S235 J2G3
		1.5.013	Cornier L60x6-	120	1	1	5,42	0,65	0,65	S235 J2G3
		1.5.014	Cornier L60x6-	260	2	2	5,42	1,41	2,82	S235 J2G3
		1.5.015	placa 80 x10-	80	1	1	7850	0,50	0,50	S235 J2G3
		1.5.016	placa 60 x10-	80	1	1	7850	0,38	0,38	S235 J2G3
		1.5.017	placa 115 x12-	115	2	2	7850	1,25	2,49	S235 J2G3
		1.5.018	placa 115 x12-	115	1	1	7850	1,25	1,25	S235 J2G3
		1.5.019	placa 115 x12-	127	1	1	7850	1,38	1,38	S235 J2G3
		1.5.020	placa 80 x15-	100	1	1	7850	0,94	0,94	S235 J2G3
P1.6	1	1.6.001	Profil IPE270-	5600	1	1	36,10	202,16	202,16	S235 J2G3
		1.6.002	Profil IPE240-	866	1	1	30,70	26,59	26,59	S235 J2G3
		1.6.003	Cornier L60x6-	130	5	5	5,42	0,70	3,52	S235 J2G3
		1.6.004	Cornier L60x6-	204	4	4	5,42	1,11	4,42	S235 J2G3
		1.6.005	placa 170 x25-	375	1	1	7850	12,51	12,51	S235 J2G3
		1.6.006	placa 80 x15-	210	1	1	7850	1,98	1,98	S235 J2G3
		1.6.007	placa 60 x15-	245	1	1	7850	1,73	1,73	S235 J2G3
		1.6.008	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
		1.6.009	placa 60 x15-	245	5	5	7850	1,73	8,65	S235 J2G3

S.C. ROMSOFT COMIMPEX S.R.L.

		1.6.010	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.6.011	placa 60 x15-	220	1	1	7850	1,55	1,55	S235 J2G3
		1.6.012	placa 150 x20-	360	1	1	7850	8,48	8,48	S235 J2G3
		1.6.013	Cornier L60x6-	120	1	1	5,42	0,65	0,65	S235 J2G3
		1.6.014	Cornier L60x6-	260	2	2	5,42	1,41	2,82	S235 J2G3
		1.6.015	placa 80 x10-	80	1	1	7850	0,50	0,50	S235 J2G3
		1.6.016	placa 60 x10-	80	1	1	7850	0,38	0,38	S235 J2G3
		1.6.017	placa 115 x12-	115	2	2	7850	1,25	2,49	S235 J2G3
		1.6.018	placa 115 x12-	115	1	1	7850	1,25	1,25	S235 J2G3
		1.6.019	placa 115 x12-	127	1	1	7850	1,38	1,38	S235 J2G3
		1.6.020	placa 80 x15-	100	1	1	7850	0,94	0,94	S235 J2G3
P2.1	1	2.1.001	Teava RHS 150x100x5-	5371	1	1	18,33	98,45	98,45	S235 JRH
		2.1.002	placa 170 x15-	200	1	1	7850	4,00	4,00	S235 J2G3
		2.1.003	placa 200 x15-	250	1	1	7850	5,89	5,89	S235 J2G3
		2.1.004	Cornier L60x6-	135	4	4	5,42	0,73	2,93	S235 J2G3
		2.1.005	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
P2.2	1	2.2.001	Teava RHS 150x100x5-	5371	1	1	18,33	98,45	98,45	S235 JRH
		2.2.002	placa 170 x15-	200	1	1	7850	4,00	4,00	S235 J2G3
		2.2.003	placa 200 x15-	250	1	1	7850	5,89	5,89	S235 J2G3
		2.2.004	Cornier L60x6-	135	4	4	5,42	0,73	2,93	S235 J2G3
		2.2.005	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
P2.3	1	2.3.001	Teava RHS 150x100x5-	5521	1	1	18,33	101,20	101,20	S235 JRH
		2.3.002	placa 220 x15-	260	1	1	7850	6,74	6,74	S235 J2G3
		2.3.003	Cornier L60x6-	135	4	4	5,42	0,73	2,93	S235 J2G3
		2.3.004	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
		2.3.005	placa 100 x10-	170	1	1	7850	1,33	1,33	S235 J2G3
		2.3.006	placa 115 x12-	115	2	2	7850	1,25	2,49	S235 J2G3
		2.3.007	placa 115 x12-	365	1	1	7850	3,95	3,95	S235 J2G3
		2.3.008	placa 115 x12-	125	1	1	7850	1,35	1,35	S235 J2G3
P2.4	1	2.4.001	Teava RHS 150x100x5-	5521	1	1	18,33	101,20	101,20	S235 JRH
		2.4.002	placa 220 x15-	260	1	1	7850	6,74	6,74	S235 J2G3
		2.4.003	Cornier L60x6-	135	4	4	5,42	0,73	2,93	S235 J2G3
		2.4.004	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
		2.4.005	placa 100 x10-	170	1	1	7850	1,33	1,33	S235 J2G3
		2.4.006	placa 115 x12-	115	2	2	7850	1,25	2,49	S235 J2G3

S.C. ROMSOFT COMIMPEX S.R.L.

		2.4.007	placa 115 x12-	365	1	1	7850	3,95	3,95	S235 J2G3
		2.4.008	placa 115 x12-	125	1	1	7850	1,35	1,35	S235 J2G3
P2.5	1	2.5.001	Teava RHS 150x100x5-	5694	1	1	18,33	104,37	104,37	S235 JRH
		2.5.002	placa 170 x15-	200	1	1	7850	4,00	4,00	S235 J2G3
		2.5.003	Cornier L60x6-	135	4	4	5,42	0,73	2,93	S235 J2G3
		2.5.004	placa 50 x10-	100	2	2	7850	0,39	0,79	S235 J2G3
		2.6.001	Teava RHS 150x100x5-	5694	1	1	18,33	104,37	104,37	S235 JRH
P2.6	1	2.6.002	placa 170 x15-	200	1	1	7850	4,00	4,00	S235 J2G3
		2.6.003	Cornier L60x6-	135	4	4	5,42	0,73	2,93	S235 J2G3
		2.6.004	placa 50 x10-	100	2	2	7850	0,39	0,79	S235 J2G3
		3.1.001	Profil IPE240-	3123	2	2	30,70	95,88	191,75	S235 J2G3
P3.1	1	3.1.002	placa 230 x20-	450	1	1	7850	16,25	16,25	S235 J2G3
		3.1.003	placa 150 x20-	360	2	2	7850	8,48	16,96	S235 J2G3
		3.1.004	Profil IPE240-	570	1	1	30,70	17,50	17,50	S235 J2G3
		3.1.005	placa 140 x15-	215	2	2	7850	3,54	7,09	S235 J2G3
		3.1.006	placa 55 x15-	215	2	2	7850	1,39	2,78	S235 J2G3
		3.1.007	placa 80 x10-	80	6	6	7850	0,50	3,01	S235 J2G3
		3.1.008	placa 80 x10-	80	2	2	7850	0,50	1,00	S235 J2G3
		3.1.009	placa 55 x10-	80	4	4	7850	0,35	1,38	S235 J2G3
		3.1.010	Cornier L60x6-	120	6	6	5,42	0,65	3,90	S235 J2G3
		3.1.011	Cornier L60x6-	260	8	8	5,42	1,41	11,27	S235 J2G3
		P3.2	2	3.2.001	Profil IPE240-	3123	2	4	30,70	95,88
3.2.002	placa 290 x20-			420	1	2	7850	19,12	38,25	S235 J2G3
3.2.003	placa 150 x20-			360	2	4	7850	8,48	33,91	S235 J2G3
3.2.004	Profil IPE240-			570	1	2	30,70	17,50	35,00	S235 J2G3
3.2.005	placa 140 x15-			215	4	8	7850	3,54	28,35	S235 J2G3
3.2.006	placa 80 x10-			80	8	16	7850	0,50	8,04	S235 J2G3
3.2.007	placa 80 x10-			4	2	4	7850	0,03	0,10	S235 J2G3
3.2.008	Cornier L60x6-			120	6	12	5,42	0,65	7,80	S235 J2G3
P3.3	1	3.3.001	Profil IPE240-	3123	2	2	30,70	95,88	191,75	S235 J2G3
		3.3.002	placa 230 x20-	420	1	1	7850	15,17	15,17	S235 J2G3
		3.3.003	placa 150 x20-	360	2	2	7850	8,48	16,96	S235 J2G3
		3.3.004	Profil IPE240-	570	1	1	30,70	17,50	17,50	S235 J2G3
		3.3.005	placa 140 x15-	215	2	2	7850	3,54	7,09	S235 J2G3
		3.3.006	placa 55 x15-	215	6	6	7850	1,39	8,35	S235 J2G3

S.C. ROMSOFT COMIMPEX S.R.L.

		3.3.007	placa 80 x10-	80	6	6	7850	0,50	3,01	S235 J2G3
		3.3.008	placa 80 x10-	80	2	2	7850	0,50	1,00	S235 J2G3
		3.3.009	placa 55 x10-	80	4	4	7850	0,35	1,38	S235 J2G3
		3.3.010	Cornier L60x6-	120	6	6	5,42	0,65	3,90	S235 J2G3
		3.3.011	Cornier L60x6-	260	8	8	5,42	1,41	11,27	S235 J2G3
		3.3.012	placa 220 x15-	260	2	2	7850	6,74	13,47	S235 J2G3
P4.1	1	4.1.001	Teava RHS 150x100x5-	6540	1	1	18,33	119,88	119,88	S235 JRH
		4.1.002	placa 200 x15-	250	2	2	7850	5,89	11,78	S235 J2G3
		4.1.003	Cornier L60x6-	135	5	5	5,42	0,73	3,66	S235 J2G3
		4.1.004	placa 50 x10-	100	1	1	7850	0,39	0,39	S235 J2G3
P5.1	1	5.1.001	Teava RHS 50x50x5-	287	1	1	4,35	1,25	1,25	S235 JRH
		5.1.002	placa 80 x10-	105	2	2	7850	0,66	1,32	S235 J2G3
		5.1.003	placa 25 x5-	60	4	4	7850	0,06	0,24	S235 J2G3
P6.1	9	6.1.001	Teava RHS 50x50x5-	2470	1	9	4,35	10,74	96,70	S235 JRH
		6.1.002	placa 80 x10-	105	2	18	7850	0,66	11,87	S235 J2G3
		6.1.003	placa 25 x5-	60	4	36	7850	0,06	2,12	S235 J2G3
P6.2	2	6.2.001	Teava RHS 50x50x5-	450	1	2	4,35	1,96	3,92	S235 JRH
		6.2.002	placa 80 x10-	105	2	4	7850	0,66	2,64	S235 J2G3
		6.2.003	placa 25 x5-	60	4	8	7850	0,06	0,47	S235 J2G3
P6.3	2	6.3.001	Teava RHS 50x50x5-	1570	1	2	4,35	6,83	13,66	S235 JRH
		6.3.002	placa 80 x10-	105	2	4	7850	0,66	2,64	S235 J2G3
		6.3.003	placa 25 x5-	60	4	8	7850	0,06	0,47	S235 J2G3
P6.4	2	6.4.001	Teava RHS 50x50x5-	1060	1	2	4,35	4,61	9,22	S235 JRH
		6.4.002	placa 80 x10-	105	2	4	7850	0,66	2,64	S235 J2G3
		6.4.003	placa 25 x5-	60	4	8	7850	0,06	0,47	S235 J2G3
P6.5	1	6.5.001	Teava RHS 50x50x5-	1170	1	1	4,35	5,09	5,09	S235 JRH
		6.5.002	placa 80 x10-	105	2	2	7850	0,66	1,32	S235 J2G3
		6.5.003	placa 25 x5-	60	4	4	7850	0,06	0,24	S235 J2G3
P6.6	6	6.6.001	Teava RHS 50x50x5-	2633	1	6	4,35	11,45	68,72	S235 JRH
		6.6.002	placa 80 x10-	105	2	12	7850	0,66	7,91	S235 J2G3
		6.6.003	placa 25 x5-	60	4	24	7850	0,06	1,41	S235 J2G3
P6.7	2	6.7.001	Teava RHS 50x50x5-	2393	1	2	4,35	10,41	20,82	S235 JRH
		6.7.002	placa 80 x10-	105	2	4	7850	0,66	2,64	S235 J2G3
		6.7.003	placa 25 x5-	60	4	8	7850	0,06	0,47	S235 J2G3
P6.8	4	6.8.001	Teava RHS 50x50x5-	2583	1	4	4,35	11,24	44,94	S235 JRH

S.C. ROMSOFT COMIMPEX S.R.L.

		6.8.002	placa 80 x10-	105	2	8	7850	0,66	5,28	S235 J2G3
		6.8.003	placa 25 x5-	60	4	16	7850	0,06	0,94	S235 J2G3
P7.1	20	7.1.001	Otel rotund Φ16-	1000	1	20	1,58	1,58	31,60	S235
		7.1.002	placa 55 x10-	135	1	20	7850	0,58	11,66	S235 J2G3
P7.2	20	7.2.001	Otel rotund Φ16-	2175	1	20	1,58	3,44	68,73	S235
		7.2.002	placa 55 x10-	135	1	20	7850	0,58	11,66	S235 J2G3
P8.1	16	8.1.001	Otel rotund Φ24-	1000	1	16	3,55	3,55	56,80	S235
		8.1.002	placa 80 x12-	200	1	16	7850	1,51	24,12	S235 J2G3
P8.2	8	8.2.001	Otel rotund Φ24-	2420	1	8	3,55	8,59	68,73	S235
		8.2.002	placa 80 x12-	200	1	8	7850	1,51	12,06	S235 J2G3
P8.3	6	8.3.001	Otel rotund Φ24-	1850	1	6	3,55	6,57	39,41	S235
		8.3.002	placa 80 x12-	200	1	6	7850	1,51	9,04	S235 J2G3
P8.4	2	8.4.001	Otel rotund Φ24-	2005	1	2	3,55	7,12	14,24	S235
		8.4.002	placa 80 x12-	200	1	2	7850	1,51	3,01	S235 J2G3
P9.1	8	-	Profil Z150x2-	8670	1	8	4,20	36,41	291,31	FeE 350 G+Z
P10.1	8	-	Profil C150x2.5-	950	1	8	5,30	5,04	40,28	FeE 350 G+Z
P10.2	1	-	Profil C150x2.5-	6540	1	1	5,30	34,66	34,66	FeE 350 G+Z
P10.3	4	-	Profil C150x2.5-	4310	1	4	5,30	22,84	91,37	FeE 350 G+Z
P10.4	3	-	Profil C150x2.5-	8500	1	3	5,30	45,05	135,15	FeE 350 G+Z
P10.5	2	-	Profil C150x2.5-	3595	1	2	5,30	19,05	38,11	FeE 350 G+Z
P10.6	10	-	Profil C150x2.5-	10	1	10	5,30	0,05	0,53	FeE 350 G+Z
P11.1	8	11.1.001	placa 170 x10-	375	1	8	7850	5,00	40,04	S235 J2G3
		11.1.002	Profil HE100A-	100	1	8	16,70	1,67	13,36	S235 J2G3
P11.2	6	11.2.001	placa 150 x15-	200	1	6	7850	3,53	21,20	S235 J2G3
		11.2.002	placa 50 x20-	100	1	6	7850	0,79	4,71	S235 J2G3
P12.1	1	-	Cornier L70x6-	33,00ml	1	1	6,38	210,54	210,54	S235 J2G3
P12.2	1	-	Teava RHS 50x50x3-	33,00ml	1	1	4,35	143,55	143,55	S235 JRH
P13.1	16	-	placa 40 x20-	180	1	16	7850	1,13	18,09	S235 J2G3
P14.1	2	14.1.001	Teava RHS 120x120x4-	5245	1	2	14,43	75,69	151,37	S235 JRH
		14.1.002	placa 120 x5-	130	1	2	7850	0,61	1,22	S235 J2G3
		14.1.003	placa 220 x10-	220	1	2	7850	3,80	7,60	S235 J2G3
P14.2	2	14.2.001	Teava RHS 120x120x4-	5350	1	2	14,43	77,20	154,40	S235 JRH

S.C. ROMSOFT COMIMPEX S.R.L.

		14.2.002	placa 120 x5- 130	1	2	7850	0,61	1,22	S235 J2G3
		14.2.003	placa 220 x10- 220	1	2	7850	3,80	7,60	S235 J2G3
P14.3	4	14.3.001	Teava RHS 120x120x4- 5455	1	4	14,43	78,72	314,86	S235 JRH
		14.3.002	placa 120 x5- 130	1	4	7850	0,61	2,45	S235 J2G3
		14.3.003	placa 220 x10- 220	1	4	7850	3,80	15,20	S235 J2G3
P14.4	24	-	Teava RHS 120x120x4- 750	1	24	14,43	10,82	259,74	S235 JRH
P14.5	4	-	Teava RHS 120x120x4- 510	1	4	14,43	7,36	29,44	S235 JRH
P14.6	16	-	placa 80 x10- 100	1	16	7850	0,63	10,05	S235 J2G3
P14.7	2	14.7.001	Teava RHS 120x120x4- 5090	2	4	14,43	73,45	293,79	S235 JRH
		14.7.002	Teava RHS 120x120x4- 1400	2	4	14,43	20,20	80,81	S235 JRH
		14.7.003	Teava RHS 120x120x4- 1160	2	4	14,43	16,74	66,96	S235 JRH
		14.7.004	placa 100 x10- 220	2	4	7850	1,73	6,91	S235 J2G3
P14.8	4	-	Cornier L60x6- 110	4	16	5,42	0,60	9,54	S235 J2G3
P14.9	2	14.9.001	Teava RHS 100x100x4- 2910	1	2	11,92	34,69	69,37	S235 JRH
		14.9.002	placa 100 x5- 110	2	4	7850	0,43	1,73	S235 J2G3
P14.10	4	14.10.001	Teava RHS 100x100x4- 2910	1	4	11,92	34,69	138,75	S235 JRH
		14.10.002	placa 100 x5- 110	1	4	7850	0,43	1,73	S235 J2G3
P15.1	1	-	Profil C150x1.5- 206,00ml	1	1	2,60	535,60	535,60	FeE 350 G+Z
								Total S235J2G3	3966,72
								Total S235JRH	2695,28
								Total S235	279,50
								Total FeE 350 G+Z	1167,01
								Electrozi 1.5...3%	208,48
								Total	8317